


6G Tandem

Parisa Aghdam

06/03/2023, 4th SNSJU Lunchtime webinar/ Stream B2 & B3
projects

Agenda

- Project overview
- Introduction to dual-band D-MIMO
- Why D-MIMO?
- Polymer/plastic microwave fiber (PMF)
- Project's Vision
- Key objectives/technologies
- Planned standardization activities



6GTandem partners

Project Overview

- **Project Name:** A Dual-frequency Distributed MIMO Approach for Future 6G Applications
- **Project website:** <https://horizon-6gtandem.eu/>
- **Stream:** B-01-02
- **Key info:** 6GTandem will co-design novel dual-frequency (sub-10 GHz & sub-THz) operation and a new highly integrated and distributed radio transceiver architecture (radio stripe) to achieve superior value with respect to energy, service availability and cost of deployment.


Addressed Verticals:

Adaptive robotized factories, warehouses, retail and logistics, Immersive entertainment for crowds of people (e.g., arenas), Human-machine interaction in care environments, hospitals, assisted living, Public transportation




6GTandem

A Dual-frequency Distributed MIMO Approach for Future 6G Applications




Introduction to dual-band D-MIMO

Use Cases






Low latency
Sub-cm positioning
Ultra broadband
Resilience
Computation off-load
Fronthaul



Introduction to dual-band D-MIMO

The radio stripe building blocks


6





Why D-MIMO

Massive MIMO – Centralized Vs. distributed



- May have service variations
- Sensitive to blocking
- Heat concentration
- Large and visible installations
- Installation requires personnel with “radio skills”
- Power limited by SAR regulations




- Reduces impact of all the mentioned issues
- Power and backhaul is integrated in the “stripe” antenna design.
- Cell-free – no handovers, no planning required

Polymer/plastic microwave fiber (PMF)

8

- Use a plastic/dielectric waveguide to distribute the RF signal in between the distributed units
- Frequencies $> 70\text{GHz}$ to get reasonable dimensions
- No laser source, insensitive to temperature variation, dust and misalignment, wideband operation, relatively cheap, short range



Vision

9

A sub-THz radio stripe solution consisting of individually controlled Antenna Units with typical AU-to-AU spacing in the order to 10-20m, supporting system throughput up to 1Tbps in D-MIMO operation.

6GTandem aims to provide:

- Optimized design of the dual-frequency operation
- Uniform ultra-high throughput coverage
- Off-load lower frequency bands
- Provide new services such as high-resolution sensing and positioning

Key Objectives:

- 1: Develop the 6GTandem system concept driven by use cases requirements
- 2: Modelling of the 6GTandem system
- 3: Design of waveforms and communication strategies
- 4: Development of sub-THz radio stripe hardware
- 5: Propose new services enabled by the 6GTandem system
- 6: Validation

Key technologies used/investigated:

- Cell-free M-MIMO, RF based positioning
- Sub-THz packaging technologies based on eWLB
- Sub-THz radio stripe

Standardization Activities

11

Targeted standardization bodies / groups:

- 3GPP CT
- 3GPP RAN
- ITU-T groups: SG13 - Future networks and emerging network technologies
- ITU-FR groups: SG5 in its WP5D on 6G vision and requirements and SG 1 - Spectrum Management.
- ETSI ISG mWT/THz



3GPP and ETSI, and it is a Partner Contribution to standards member of the IEEE standards association



IEC standards for radio frequency and fibre optic connector interfaces

HUBER+SUHNER

May lead to standardization:

- Radio interfaces and D-MIMO
- Protocol design for dual-frequency operation



Thank you for your
attention!

6GTandem Grant Agreement No. 101096302

If you need further information, please contact the coordinator:

TECHNIKON Forschungs- und Planungsgesellschaft mbH

Burgplatz 3a, 9500 Villach, AUSTRIA

Tel: +43 4242 233 55 Fax: +43 4242 233 55 77

E-Mail: coordination@horizon-6gtandem.eu



Funded by the European Union under grant agreement no. 101096302. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union. Neither the European Union nor the granting authority can be held responsible for them.